Listed below are the preliminary Virginia Department of Game & Inland Fisheries staff recommendations for the Migratory Game Bird Seasons and Bag Limits for the 2019-20 hunting seasons. The U.S. Fish and Wildlife Service sets the basic parameters or "frameworks" for these seasons, within which the VDGIF sets our state season dates and state bag limits. Public comments on our VDGIF proposals will be accepted from **February 4 through**March 8, 2019 at the following email address:

MigratoryGameBirdComments@dgif.virginia.gov.

After consideration of the public comments, final VDGIF staff recommendation will be developed and presented to the Board at their March 21, 2019 meeting for final adoption. We appreciate your interest and input so we can develop seasons that fit the desires of our Virginia hunters.

VIRGINIA DEPARTMENT OF GAME AND INLAND FISHERIES

2019-2020 MIGRATORY GAME BIRD HUNTING SEASONS – FEDERAL FRAMEWORKS AND PRELIMINARY STAFF RECOMMENDATIONS



















VIRGINIA DEPARTMENT OF GAME AND INLAND FISHERIES

PRELIMINARY FEDERAL FRAMEWORKS AND STAFF PROPOSALS FOR 2019-20 MIGRATORY GAMEBIRD SEASON DATES AND BAG LIMITS

TABLE OF CONTENTS	Page
	3
Dove Federal Framework and Staff Recommendation	4
Rail Background Information	5
Rail Federal Framework and Staff Recommendation	6
Gallinule and Moorhen Framework and Staff Recommendation	7
Woodcock Background Information	8
Woodcock Federal Framework and Staff Recommendation	9
Snipe Background Information	10
Snipe Federal Framework and Staff Recommendation	11
September Teal Facts	12
September Teal Federal Framework and Staff Recommendation	13
Fact Sheet – Waterfowl Hunters and Harvest	14
Fact Sheet – Status of Ducks	15
Youth Waterfowl Hunting Days	16
Duck Season	17
Merganser and Coot	18
Special Sea Duck Season	19
Fact Sheet – Status of Resident Canada Geese	20
September Canada Goose Season	21
Fact Sheet – Status of Migrant Canada Geese	22
Canada Goose Populations and Hunt Zones	23
Canada Goose Seasons	24
Fact Sheet – Status of Light Geese	25
Light Goose Season	26
Light Goose Conservation Order Season	27
Fact Sheet – Status of Atlantic Brant &Tundra Swan	28
Atlantic Brant Season	_
Tundra Swan Season	30
Falconry	31

Doves

Mourning Dove Background Information and Population Status

There are three dove management units (or flyways) across the country, including the Eastern (EMU), Central (CMU) and Western (WMU) Management Units. Virginia is in the EMU.

- <u>Population trends</u> in the EMU based on the Breeding Bird Survey (BBS):
 10-yr (2008-2018): stable population trend.
 Long term (1966-2018): increasing trend.
- <u>Dove Banding Study</u> Annual program (since 2003) to leg-band over 500 doves annually in VA, and 33,000 nationwide. Data provides estimates of movements, survival and harvest rates that are used to develop hunting regulations.
- <u>Harvest Strategy</u>: New Harvest Strategy adopted in 2014 allowed an increase from 70 to 90 days of hunting for doves. Daily bag limit remains at 15 birds (up from 12 in 2009).
- Data from HIP (past 3-yr avg.): Hunters = 16,800 Harvest = 246,100

Recent Seasons

recent seas	0115		
<u>Year</u>	Season Dates (all	70 days until extended	1 to 90 days in 2014-15)
2018-2019	Sept. 1 – Oct. 28	Nov. 21 – Nov. 28	Dec. 22 – Jan. 14
2017-2018	Sept. 2 – Oct. 29	Nov. 22 – Nov. 29	Dec. 23 – Jan. 15
2016-2017	Sept. 3 – Oct. 30	Nov. 19 – Nov. 27	Dec. 24 – Jan. 15
2015-2016	Sept. 5 – Nov. 1	Nov. 21 – Nov. 29	Dec. 24 – Jan. 15
2014-2015	Sept. 1 – Oct. 31	Nov. 22 – Nov. 30	Dec. 27 – Jan. 15
2013-2014	Sept. 2 – Oct. 14	Oct. $19 - Nov. 2$	Dec. 31 – Jan. 11
2012-2013	Sept. 1 – Oct. 13	Oct. 17 – Oct. 27	Dec. 28 – Jan. 12
2011-2012	Sept. 3 – Oct. 10	Oct. 25 – Nov. 5	Dec. 26 - Jan. 14
2010-2011	Sept. 4 – Oct. 11	Oct. $20 - Nov. 6$	Dec. 27 – Jan. 8
2009-2010	Sept. 5 - 26	Oct. $7 - Nov. 7$	Dec. 25 – Jan. 9
2008-2009	Sept. 1 - 27	Oct. 4 – Oct. 31	Dec. 27 – Jan. 10
2007-2008	Sept. $1 - 29$	Oct. 5 – Oct 27	Dec. 26 – Jan. 12
2006-2007	Sept. $2 - 23$	Oct. $7 - Nov. 4$	Dec. 28 – Jan. 15
2005-2006	Sept. $3 - 24$	Oct. $8 - Nov. 5$	Dec. 27 – Jan. 14
2004-2005	Sept. $4 - 25$	Oct. 9 – Nov. 6	Dec. 28 – Jan. 15
2003-2004	Sept. $1 - 27$	Oct. $8 - Nov. 8$	Dec. 31 – Jan. 10
2002-2003	Sept. 2- 28	Oct. $9 - \text{Nov. } 9$	Jan. 1 – Jan. 11
2001-2002	Sept. 1 - 29	Oct $13 - Nov. 10$	Dec. 29 – Jan. 9
2000-2001	Sept. $2 - 30$	Oct $7 - Nov. 4$	Dec. 30 – Jan. 10
1999-2000	Sept. $4 - 25$	Oct. $2 - Nov. 6$	Dec. 25 – Jan. 5
1998-1999	Sept. 5 - 26	Oct. $3 - Nov. 3$	Dec. 25 – Jan. 9
1997-1998	Sept. $1 - 27$	Oct. $4 - Nov. 1$	Dec. 24 – Jan. 6
1996-1997	Sept. 2 - 28	Oct. 4 - Nov. 2	Dec. 23 - Jan. 4
1995-1996	Sept. 2 - 30	Oct. 2 - Oct. 31	Dec. 23 - Jan. 2

DOVE

FEDERAL FRAMEWORKS

OUTSIDE DATES: September 1, 2019 - January 31, 2020

Hunting dates may run consecutively or be split into no more than three (3) segments.

<u>SEASON LENGTH</u>: Not more than 90 days.

BAG LIMIT: 15 daily and 45 in possession. Daily bag

limit can be composed of mourning doves and white-winged doves, singly or in

combination

SHOOTING HOURS: Between ½ hour before sunrise and

sunset daily (State may select ½ day

shooting in any segment).

STAFF RECOMMENDATION

<u>SEASON DATES:</u> September 2 - October 27 (56 days)

November 27 - December 4 (8 days) December 24 - January 18 (26 days)

SHOOTING

HOURS: September 2 Noon until sunset

September 3 – October 27 ½ hr before sunrise to sunset. November 27 – December 4 ½ hr before sunrise to sunset. December 24 - January 18 ½ hr before sunrise to sunset.

BAG LIMIT: 15 daily and 45 in possession. Composed of mourning doves and

white-winged doves, singly or in combination

Rails

Background Information and Population Status

- <u>Harvest</u> Comprised predominantly of clapper rails (85%), some sora (14%), and small number of Virginia rails taken. Clappers are mostly local VA birds, some are migrants from NJ, NY, and other salt marsh areas.
- Nesting Clapper rails nest from May through June, with re-nesting in July/August. Late nesting rails have broods that do not reach flight stage until August or September. This occurs in years when 1st nests are flooded by spring storms/tides and re-nests contribute significantly to production. Therefore, we generally wait until the second week of September to open the rail hunting season. The key to setting the season is to bracket the greatest number of high tides possible.
- Harvest Data Avg. No. hunters = 490, Avg. Harvest = 4,300 (HIP, past 10-yr avg.)

Past Seasons

<u>Past</u>	<u>Seasons</u>	
Year	Season Dat	es (all 70 days)
2018	Sept. 8 - Nov. 16	
2017	Sept. 9 – Nov. 17	
2016	Sept. 10 - Nov. 18	
2015	Sept. 8 - Nov. 16	
2014	Sept. 8 – Nov. 16	
2013	Sept. 7 - 28	Sept. 30 – Nov. 16
2012	Sept. $8-29$	Oct. $1 - Nov. 17$
2011	Sept. 10 – Oct. 1	Oct. $3 - Nov. 19$
2010	Sept. $8 - Oct. 2$	Oct. $4 - Nov. 17$
2009	Sept. $8 - Oct. 3$	Oct. $5 - Nov. 17$
2008	Sept. 10 – Nov. 18	
2007	Sept. 10 – Nov. 17	
2006	Sept. 8 – Nov. 16	
2005	Sept. 12 – Nov. 19	
2004	Sept. 13 – Nov. 20	
2003	Sept. 10 – Nov. 18	
2002	Sept. 9 - Nov. 16	
2001	Sept. 11 – Nov. 19	
2000	Sept. 13 – Oct. 2	Oct. 11 – Nov. 29
1999	Sept. 10 – Oct. 12	Oct. $22 - Nov. 27$
1998	Sept. 9 – Oct. 24	Nov. $2 - \text{Nov. } 25$
1997	Sept. 15 - 27	Oct. 8 - Dec. 3
1996	Sept. 16 – Oct. 17	Oct. 24 - Nov. 30
1995	Sept. 11 – Oct. 14	Oct. 21 – Nov.25

RAILS (Clapper, King, Sora, Virginia)

FEDERAL FRAMEWORKS

OUTSIDE DATES: September 1, 2019 - January 26, 2020

<u>SEASON LENGTH:</u> 70 days, straight or 2 segments.

BAG LIMIT: Clapper/King 15 daily, 45 possession

Sora/Virginia 25 daily, 75 possession

SHOOTING HOURS: 1/2 hour before sunrise until sunset daily

STAFF RECOMMENDATION

SEASON DATES: September 7 - November 15 (70 days)

BAG LIMIT: Clapper/King: 15 - counted together daily, 45 poss.

Sora/Virginia: 25 - counted together daily, 75 poss.

SHOOTING HOURS: 1/2 hour before sunrise until sunset

NOTES: - This recommendation provides 30 days of 3-ft or greater lunar tides.

- Non-Toxic shot is required for Rail and Snipe hunting in Virginia.

GALLINULE AND MOORHEN

FEDERAL FRAMEWORKS

OUTSIDE DATES: September 1, 2019 - January 26, 2020

SEASON LENGTH: 70 days, straight or 2 segments.

BAG LIMIT: 15 daily, 45 in possession (singly or in the

aggregate)

SHOOTING HOURS: 1/2 hour before sunrise until sunset daily

STAFF RECOMMENDATION

SEASON DATES: September 7 – November 15 (70 days)

BAG LIMIT: 15 daily, 45 in possession (singly or in the aggregate)

SHOOTING HOURS: ½ hour before sunrise until sunset

Woodcock

Background Information and Population Status

- Harvest Strategy revised in 2011, established 3 regulatory options (Liberal, Moderate and Restrictive). Annual regulation based on the 3-year mean of the singing ground survey index. For 2019-20, Harvest Strategy calls for Moderate Regulation (45 days/3 birds).
- Singing-ground survey (SGS) in Eastern Management Region:
 - 1 year trend (2017-2018): stable
 - 10 year trend (2009-2018): 1.41% decline per year.
 - Long-term (1966-2018): 1.18 % decline per year.
- The 2017 recruitment index for the U.S. portion of the Eastern Region (1.34 jv/ad female) was 5.6% below the 2017 index and 17.3% below than the long-term index.
- Research suggests that hunting has little effect on population trend, but habitat is limiting.
- Virginia is cooperating in a Flyway-wide study of woodcock movements, migrations and habitat use. From 2018-2020, GPS transmitters will be attached to birds to follow their movements.
- In Virginia, season split into two segments to provide some opportunity for early hunting in western areas, and later hunting in central and eastern areas.

 Avg. No. hunters = 1,430 Avg. Harvest = 2,337 (HIP, past 10-year avg.)

Recent Seasons (bag limit has been 3 birds)

Year	Season Dates		<u>Days</u>
2018-2019	Oct. 27 – Nov. 2	Dec. 8 – Jan. 14	45
2017-2018	Nov. 20 – Dec. 8	Dec. 21 – Jan. 15	45
2016-2017	Oct. 29 – Nov. 4	Dec. 9 – Jan. 15	45
2015-2016	Nov. 23 – Dec. 5	Dec. 15 – Jan. 15	45
2014-2015	Nov. 24 – Dec. 6	Dec. 15 – Jan. 15	45
2013-2014	Oct. 26 – Nov. 1	Dec. 5 – Jan. 11	45
2012-2013	Oct. $27 - Nov. 2$	Dec. 6 – Jan. 12	45
2011-2012	Oct. 29 – Nov. 12	Dec. 16 – Jan. 14	45
2010-2011	Oct. 30 - Nov. 13	Dec. 27 – Jan. 10	30
2009-2010	Nov. $7 - 21$	Dec. 26 – Jan. 9	30
2008-2009	Nov. $8 - 22$	Dec. 20 – Jan 3	30
2007-2008	Oct. $27 - Nov. 10$	Dec. 22 – Jan. 5	30
2006-2007	Nov. $4 - 18$	Dec. 23 – Jan. 6	30
2005-2006	Nov. $12 - 26$	Dec.17 – Dec 31	30
2004-2005	Oct. $30 - Nov. 13$	Dec. 18 – Jan. 1	30
2003-2004	Nov. $1 - 15$	Dec. 20 – Jan. 3	30
2002-2003	Nov. $2 - 16$	Dec. 21 - Jan. 4	30
2001-2002	Nov. 3 - 17	Dec. 22 - Jan. 5	30
2000-2001	Nov. 4 - 18	Dec. 23 - Jan. 6	30
1999-2000	Oct. 30 - Nov. 13	Dec. 18 - Jan. 1	30
1998-1999	Oct. 31 - Nov. 14	Dec. 19 - Jan. 2	30
1997-1998	Nov. 1 - Nov. 15	Dec. 20 - Jan. 3	30
1996-1997	Oct. 28 - Nov. 23	Dec. 18 - Jan. 4	45
1995-1996	Oct. 30 - Nov. 25	Dec. 20 - Jan. 6	45

WOODCOCK

FEDERAL FRAMEWORKS

OUTSIDE DATES: October 1, 2019 - January 31, 2020

SEASON LENGTH: 45 days, straight or 2 segments.

BAG LIMIT: 3 daily, 9 in possession.

SHOOTING HOURS: 1/2 hour before sunrise until

sunset daily.

STAFF RECOMMENDATION

SEASON DATES: November 20 – December 8 (19 days)

December 21 – January 15 (26 days)

BAG LIMIT: 3 daily, 9 in possession

 $\underline{\text{SHOOTING HOURS:}} \quad 1/2 \text{ hour before sunrise until sunset}$

Snipe

Background Information

- Season generally set to overlap duck season. There are relatively few snipe hunters in VA and most snipe are taken opportunistically by other migratory bird hunters.
- Harvest Data (HIP, past 10-yr avg.): No. hunters = 470, Harvest = 810

Recent Seasons

MCCCIII SC	130113		
Year	Season Dates (all 107 days)		
2018-2019	Oct. $5 - Oct. 8$	Oct. 21 – Jan. 31	
2017-2018	Oct. $6 - Oct. 9$	Oct. 21 – Jan. 31	
2016-2017	Oct. $7 - Oct. 10$	Oct. 21 – Jan. 31	
2015-2016	Oct. $9 - Oct. 12$	Oct. 21 – Jan. 31	
2014-2015	Oct. 10 – Oct. 13	Oct. 21 – Jan. 31	
2013-2014	Oct. 10 – Oct. 14	Oct. 22 – Jan. 31	
2012-2013	Oct. 4 – Oct. 8	Oct. 22 - Jan. 31	
2011-2012	Oct. 6 – Oct. 10	Oct. 22 – Jan. 31	
2010-2011	Oct. 7 – Oct. 11	Oct. 22 – Jan. 31	
2009-2010	Oct. 8 – Oct. 12	Oct. 21 – Jan. 30	
2008-2009	Oct. 9 – Oct. 13	Oct. 22 – Jan.31	
2007-2008	Oct $4 - Oct. 8$	Oct. 22 – Jan. 31	
2006-2007	Oct $4 - Oct. 9$	Oct. 23 – Jan. 31	
2005-2006	Oct $5 - \text{Oct.} 10$	Oct. 24 – Jan. 31	
2004-2005	Oct 7 – Oct 11	Oct. 22 – Jan. 31	
2003-2004	Oct. 8 – Oct 11	Oct. 21 – Jan. 31	
2002-2003	Oct $9 - \text{Oct } 12$	Oct. 21 – Jan. 31	
2001-2002	Oct. 10 - Oct. 13	Oct. 22 - Jan. 31	
2000-2001	Oct. 11 - Oct. 14	Oct. 21 - Jan. 31	
1999-2000	Oct. 6 - Oct. 9	Oct. 21 - Jan. 31	
1998-1999	Oct. 7 - Oct. 10	Oct. 20 - Jan. 30	
1997-1998	Oct. 8 - Oct. 11	Oct. 21 - Jan. 31	
1996-1997	Oct. 9 - Oct. 12	Oct. 21 - Jan. 31	
1995-1996	Oct. 11 - Oct. 14	Oct. 21 - Jan. 31	

SNIPE

FEDERAL FRAMEWORKS

OUTSIDE DATES: September 1, 2019 - January 31, 2020

SEASON LENGTH: 107 days, straight or 2 segments

BAG LIMIT: 8 daily, 24 possession

SHOOTING HOURS: 1/2 hour before sunrise until sunset

STAFF RECOMMENDATION

SEASON DATES: October 11 - October 14 (4 days)

October 21 - January 31 (103 days)

BAG LIMIT: 8 daily, 24 in possession

SHOOTING HOURS: ½ hour before sunrise until sunset

SEPTEMBER TEAL SEASON FACT SHEET - 2019

- Special teal seasons were initiated in late 1960's to provide harvest opportunities on blue-winged and green-winged teal. When the blue-winged teal breeding population (BPOP) is above 3.3 million, a 9-day season can be offered. If the BPOP exceeds 4.7 million, a 16-day season can be offered.
- Blue-winged teal are one of the earliest migrants. Many pass through Virginia from late August through October, prior to the opening of the late duck season.
- Green-winged teal are also early migrants and arrive in September and October. However, some Green-wings remain through the winter depending on weather conditions.
- Virginia has held a special September teal season since 1999 (see dates listed below). The season was initially held only in the area east of I-95 because there are greater numbers of teal and teal hunters in the coastal plain. Even in the coastal plain, teal are not widespread, and the harvest has been relatively small. The season was expanded in 2011 to provide some teal hunting opportunity in the area west of I-95.

	Season Dates	Season Dates
<u>Year</u>	East of I-95	West of I-95
2018	Sept. 17 – 30	Sept. 21 - 30
2017	Sept. 16 – 30	Sept. 21 - 30
2016	Sept. 17 – 30	Sept. 21 - 30
2015	Sept. 17 – 30	Sept. 21 - 30
2014	Sept. 17 – 30	Sept. 22 - 30
2013	Sept. 16 – 30	Sept. 23 - 30
2012	Sept. 17 – 29	Sept. 24 - 29
2011	Sept. 19 – 30	Sept. 26 - 30
2010	Sept. 20 – 30	na
2009	Sept. 21 – 30	na
2008	Sept. 20 – 30	na
2007	Sept. 17 – 26	na
2006	Sept. 15 – 25	na
2005	Sept. 16 – 24	na
2004	Sept. 16 – 25	na
2003	Sept. 13 – 23	na
2002	Sept. 14 – 24	na
2001	Sept. 15 – 25	na
2000	Sept. 14 – 23	na
1999	Sept. 16 – 25	na

Average Annual Harvest: 669 teal

SEPTEMBER TEAL SEASON

FEDERAL FRAMEWORKS

OUTSIDE DATES: September 1 – September 30, 2018

SEASON LENGTH: Up to 16 days

BAG LIMIT: 6 daily, 18 in possession (Blue-winged

and Green-winged teal only)

SHOOTING HOURS: 1/2 hour before sunrise to sunset

STAFF RECOMMENDATION

SEASON DATES: September 17 – September 30 (14 days)

HUNT AREA: East of I - 95

September 21 – September 30 (10 days)

HUNT AREA: West of I - 95

BAG LIMIT: 6 daily, 18 in possession (Blue-winged and

Green-winged teal only).

SHOOTING HOURS: 1/2 hour before sunrise to sunset

FACT SHEET - Waterfowl Hunters and Harvests - 2019

- Liberal duck seasons (60 days, 6 bird bag limit) and resident goose seasons have resulted in high waterfowl harvests in Virginia during the past ten years. Harvest has averaged ~134,260 ducks and ~57, 500 Canada geese from 2013-2017, compared to 114,770 ducks and 25,000 geese during the 1990's. The long season length and liberal bags offer greater opportunity and a greater cumulative harvest over the course of the season.
- Waterfowl hunter numbers in Virginia have been generally stable since the late 1990's. Since 1999, the Harvest Information Program (HIP) has been used to estimate hunter effort and harvest. The average number of duck and goose hunters over the past 3 years, as measured by HIP, was 15,700 and 13,666 respectively.
- Conditions during the 2017-2018 season were relatively favorable for waterfowl hunting although extreme cold temperatures during the beginning of January pushed many wintering waterfowl farther south. This resulted in a higher duck harvest than the previous year and above the 5-year average. Estimated Canada goose harvest on the other hand was lower than the previous year and but still slightly above the five year average.
- The total estimated duck harvest during the 2017-2018 season in Virginia (145,200) was 15% higher than the previous year (126,000) and 8% above the past 5-year average (134,260).
- During the 2017-2018 season mallards were the most commonly harvested duck in Virginia, followed by wood ducks, bufflehead, gadwall and black duck, which compromised the top 5 harvested species. The mallard harvest in Virginia in 2017-2018 (43,200) increased by 10% from 2016-2017, and was 11% higher than the past 5-year average (38,840).
- The Canada goose harvest in Virginia in 2017-2018 (60,000) was less than the previous season (84,400) and 4% higher than the past 5-year average (57,500).

FACT SHEET - The Status of Ducks - 2019

Mid-Continent Areas: Annual precipitation is the most important factor influencing the quantity and quality of nesting and brood rearing habitat for prairie-nesting birds. The number of ponds counted during the USFWS May breeding waterfowl survey is used as an index for assessing waterfowl nesting habitat. In 2018, the May pond count (5.2 million) was 14% below last year's count (6.1 million), but similar to the long-term average (5.2 million).

The total duck breeding population (BPOP) estimate for the mid-continent area was 41.2 million ducks in 2018, 14% below the 2017 estimate of 47.3 million, yet 17% higher than the long-term average (1955-2017). The Breeding population estimates (BPOP), along with the percent change from last year and the long-term average, are presented below for the 10 most common species.

Species	2018 BPOP	% Change from 2017	% Change from Long- Term Avg.
Mallard	9.3 million	-12%	+17%
Blue-winged Teal	6.5 million	-18%	+27%
Green-winged Teal	3.0 million	-16%	+42%
Gadwall	2.9 million	-31%	+43%
Northern Shoveler	4.2 million	-3%	+62%
Northern Pintail	2.4 million	-18%	-40%
American Wigeon	2.8 million	+2%	+8%
Redhead	1.0 million	-10%	+38%
Scaup	4.0 million	-9%	-20%
Canvasback	686,000	-6%	+16%
Total Ducks	41.2 million	-13%	+17%

Eastern Breeding Areas: Conditions in much of the eastern survey area declined or remained similar relative to 2017. The region experienced mainly average precipitation since September 2017 and variable fall and winter temperatures. The entire region had well-below-average temperatures in April 2018 that continued into May in more northerly areas. Spring phenology and ice-out were generally normal to much later than normal, the latter mainly in northern Quebec and Labrador. Conditions for waterfowl production generally declined to fair or good with northern areas affected by a late thaw and localized flooding farther south.

• Breeding population estimates for the 6 most common species surveyed were generally similar to or lower than last year except for Ring-necked ducks (2% above 2017). Mallards (1.1 million), Black ducks (712,000), Goldeneyes (486,000) and Green-winged teal (346,000) were slightly down from 2017 and their long term averages.

Virginia: Habitat conditions in Virginia during the spring of 2018 started off rather poor with dry conditions, but significant precipitation later in the spring filled many wetlands and provided good nesting habitat. Local duck and goose production is expected to be slightly below average.

The breeding pair estimate for Mallards (7,913) decreased significantly from the previous year's estimate (19,131). Wood duck breeding pair estimates (14,237) was similar to the 2017 estimate (15,167). Canada goose breeding pair estimates (53,447) were 32% higher than the previous year's estimate.

YOUTH WATERFOWL DAY

Guidelines for the proposed Youth Days include:

- 1. States may select 2 days per duck-hunting zone, designated as "Youth Waterfowl Hunting Days," in addition to their regular duck seasons.
- 2. The 2 days (no longer required to be consecutive) must be held outside of any regular duck season on a weekend, holidays, or other non-school days when youth hunters would have the maximum opportunity to participate.
- 3. The days could be held up to 14 days before or after any regular duck season frameworks or within any split of a regular duck season.
- 4. The daily bag limit is the same as that allowed in the regular season and includes ducks, mergansers, coots, moorhens, gallinules, 1 Canada geese (except in Canada Goose Zones where the bag limit is higher), and 1 tundra swan (if the youth possesses a tundra swan permit). Flyway species restrictions remain in effect.
- 5. Youth hunters must be 15 years of age or younger. Youth 12 years of age and older will need a valid Virginia state hunting license.
- 6. A licensed adult at least 18 years of age or older must accompany the youth hunter into the field. This adult may not duck hunt, but may participate in other open seasons

DUCKS

FEDERAL FRAMEWORK

Outside Dates: September 21, 2019 - January 31, 2020

Season Length: 60 hunting days; plus 2 Youth Waterfowl Hunt Days, (can be

non-consecutive).

Bag Limit: Daily Bag limit of 6 ducks of any species except for the following

restrictions: can include no more than **2 mallards (only 1 hen)**, 4 scoters, 4 long-tailed ducks, 4 eiders, 3 wood ducks, 2 black ducks, 2 canvasback, 2 scaup, 2 redheads, **1 pintail**, 1 mottled duck, 1 fulvous whistling duck.

Closed season on harlequin duck.

The possession limit is three times the daily bag limit.

NOTE: There is an option to include mergansers in the general duck bag or leave them as a separate bag (see Merganser framework page 10). If included in the general duck bag, the

restriction on 2 hooded mergansers would apply.

Split Season Options: 3-way split season, no zones

Shooting Hours: 1/2-hour before sunrise until sunset daily

STAFF RECOMMENDATIONS

Season Length: 60 hunting days; plus 2 Youth Waterfowl Hunting Day

Season Dates: October 11 - 14 (Black Duck closed) (4 days)

November 20 – December 1 (12 days) December 19 – January 31 (Friday) (44 days) (60 days)

October 26, February 8 – Youth Waterfowl Days

Bag Limit: Daily Bag limit of 6 ducks of any species except for the following

restrictions: can include **no more than 2 mallards (only 1 hen)**, 4 scoters, 4 long-tailed ducks, 4 eiders, 3 wood ducks, 2 black ducks (except closed Oct. 11 - 14), 2 canvasback, 2 scaup, 2 redheads, 1 pintail, 1 mottled duck,

1 fulvous whistling duck,.

Closed season on harlequin duck.

The possession limit is three times the daily bag limit.

Shooting Hours: 1/2-hour before sunrise until sunset daily

MERGANSER AND COOT

MERGANSER

FEDERAL FRAMEWORK

Option A

Season Length: 60 hunting days

Outside Date: September 21, 2019 - January 31, 2020

Bag Limit: 5 birds daily, of which only 2 birds may be a hooded merganser

(15 in possession, only 6 of which may be hooded mergansers)

Option B

To be included into the general duck bag. If included in the general duck bag, the restriction on 2

hooded mergansers would apply.

STAFF RECOMMENDATIONS

Option A

Season Dates: To coincide with general duck season

Bag Limit: 5 birds daily, of which only 2 birds may be a hooded merganser

(15 in possession, only 6 of which may be hooded mergansers)

AMERICAN COOT

FEDERAL FRAMEWORK

Season Length: 60 hunting days

Outside Date: September 21, 2019 - January 31, 2020

Bag Limit: 15 birds daily (45 in possession)

STAFF RECOMMENDATIONS

Season Dates: To coincide with general duck season.

Bag Limit: 15 daily (45 in possession)

SPECIAL SEA DUCK SEASON IN SEA DUCK ZONE*

FEDERAL FRAMEWORK

SEA DUCKS (SCOTER, LONG-TAILED DUCK, AND EIDER)

Season Length: 60 hunting days, run consecutively

Outside Dates: September 15, 2019 - January 31, 2020

Bag Limit: 5 birds per day (15 in possession), may include no more than

4 scoters, 4 eiders or 4 long-tailed ducks.

STAFF RECOMMENDATION

SEA DUCKS (SCOTER, LONG-TAILED DUCK, AND EIDER)

Season Dates: November 9 – January 7 (60 days)

In the Sea Duck Zone delineated below

Bag Limit: 5 birds per day (15 in possession), may include no more than

4 scoters, 4 eiders or 4 long-tailed ducks.

* Sea Duck Zone: Those waters at a distance greater than 800 yards from any shore, island or emergent vegetation in the following area: the ocean waters of Virginia, the tidal waters of Northampton and Accomack Counties, and the Chesapeake Bay and each of its tributaries up to the first highway bridge. Back Bay and its tributaries are not included in the Sea Duck Zone.

<u>Note</u> - Sea ducks cannot be taken in the Sea Duck Zone after January 7. Sea ducks can, however, be taken during the regular duck season (Oct. 11-14, Nov. 20-Dec. 1 and Dec. 19–Jan. 31) in all other areas outside of the sea duck zone (i.e.: within 800 yards of any shore, island or emergent vegetation...), since they are included in the regular season duck bag. No more than 4 scoters, 4 eiders or 4 long-tails can be included in the regular season daily limit of 6 ducks.

FACT SHEET - The Status of Resident Canada Geese - 2019

- The resident Canada goose population increased significantly in Virginia during the 1980's and 1990's, and peaked at 264,000 geese in the late 1990's. This population caused significant conflicts with human and wildlife populations, and management actions were taken to reduce their numbers. The current population estimate is 141,693 (+/- 30,000) in Virginia and near 1 million in the Atlantic Flyway.
- Special resident goose hunting seasons were initiated in 1993 to help manage this population and to provide recreational opportunities for hunters. These seasons occur prior to the arrival of most migrant geese (~Sept. 25 in Virginia), or in areas where there are fewer migrant geese. The Federal Framework allows Virginia to conduct a statewide September Resident Goose season from September 1-25.
- There are fewer migrant geese in the western portions of Virginia, and special "Goose Hunting Zones" have been established that allow more liberal seasons in areas with more resident Canada goose.
- Special resident goose hunting seasons have been very popular, and have increased hunter participation and resident goose harvests. These seasons have been very effective in managing resident goose populations and helping to meet statewide population objectives.
- In areas where hunting is not feasible, other options including Depredation Orders (Airport, Agricultural, and Nest and Egg Depredation Orders) have been implemented to help manage resident goose conflicts.

Year	Population Estimate *	September Harvest
2018	132,633 +/- 24%	na
2017	142,167 +/- 21%	5,500
2016	158,200 +/- 19%	na
2015	150,651 +/- 22%	6,100
2014	130,503 +/- 26%	7,500
2013	144,910 +/- 26%	10,700
2012	158,267 +/- 28%	9,700
2011	165,022 +/- 28%	14,700
2010	147,313 +/- 29%	15,600
2009	145,019 +/- 29%	16,800
2008	157,560 +/- 29%	17,500
2007	154,030 +/- 27%	13,600
2006	136,700 +/- 27%	11,100
2005	129,486 +/- 26%	10,100
2004	143,741 +/- 25%	17,000
2003	186,753 +/- 23%	14,800
2002	218,719 +/- 24%	14,300
2001	218,384 +/- 27%	11,800
2000	227,164 +/- 32%	10,800
1999	261,554 +/- 34%	11,400
1998	264,867 +/- 35%	12,200
1997	249,612 +/- 34%	10,500
1996	181,813 +/- 36%	10,000
1995	151,043 +/- 39%	5,500

^{*3-}year running average

SEPTEMBER CANADA GOOSE

FEDERAL FRAMEWORKS

OUTSIDE DATES: September 1 – September 25, 2019

BAG LIMIT: 15 daily, 45 in possession

SHOOTING HOURS: ½ hour before sunrise to sunset (except as

provided for in special hunting options *)

* SPECIAL HUNTING OPTIONS: Allows the use of electronic calls, unplugged shotguns and extended shooting hours (1/2 hr after sunset) when **no other** waterfowl seasons are open.

STAFF RECOMMENDATION

SEASON DATES: September 1 – September 25 (25 days)

BAG LIMIT: 10 daily, 30 in possession

HUNT AREA: Statewide

SHOOTING

HOURS: East of I-95

September 1 - 16: $\frac{1}{2}$ hr before sunrise to $\frac{1}{2}$ hr after sunset.

September 17 − 25: ½ hr before sunrise **to** sunset.

West of I-95


September 1– 20: ½ hr before sunrise to ½ hr after sunset.

September 21 - 25: ½ hr before sunrise to sunset.

<u>NOTE</u>: Staff is not recommending the options of using electronic calls or unplugged shotguns for hunting geese in the September season.

FACT SHEET- The Status of Migrant Canada Geese - 2019

- Migrant Canada geese from the Atlantic Population (AP) declined significantly from 1985-1995. The hunting season was closed in 1995 to allow the population to recover. Goose numbers rebounded quickly and a limited season (6 days with a 1-bird bag) was held in both 1999 and 2000.
- As the population increased, hunting regulations were liberalized. The season was extended to 30 days in 2001, then 45 days in 2002, and 50 days in 2012. The bag limit was increased to 2 per day in 2004 and has remain at 50 days with a 2 goose daily limit since then.
- However, annual productivity has been below average for 5 of the past 6 years, and adverse weather conditions on the nesting grounds in Canada resulted in very poor production in 2018. The breeding population has declined over the past several years (see graph below) and dropped again in 2018 to 112,000 breeding pairs.



• Due to the "bust" in production this year and the declining population trend, the Atlantic Flyway Council recommended reducing the hunting season on AP geese for the 2019-20 season. The season in our AP Goose zone in Virginia will be restricted to 30 days with a 1-goose daily limit. Canada goose seasons in the other two goose zones in Virginia (Southern James Bay (SJBP) and Resident Zones) will be unchanged from last year.

Canada Goose Populations and Hunt Zones


- There are 4 subpopulations of Canada geese in Virginia. These include the Atlantic Flyway Resident Population (RP) along with three migrant goose populations, the North Atlantic Population (NAP), the Southern James Bay Population (SJBP), and the Atlantic Population (AP). The majority of our migrant geese (~82%) are from the AP, about 18% are from the SJBP, and <1% are from the NAP.
- Recent research and banding analyses have enabled us to better delineate the distribution and migration corridors used by these different subpopulations, and to establish separate hunting zones based on the percentage of migrant geese in each zone. These zones include the:

<u>Atlantic Population (AP) Hunt Zone</u> – The area east of the Stafford/King George County line from the Potomac River south to the Rappahannock River, then west along the Stafford County line to Interstate 95, then south along I-95 to Route 460 in Petersburg, then southeast along Route 460 to Route 32 in the City of Suffolk, then south to the North Carolina border.

<u>Southern James Bay Population (SJBP) Hunt Zone</u> – The area to the west of the AP Hunt Zone boundary and east of the following line: the "Blue Ridge" (Loudoun County-Clarke County line) at the West Virginia-Virginia Border, south to Interstate 64 (the Blue Ridge line follows county borders along the western edge of Loudoun-Fauquier-Rappahannock-Madison-Greene-Albemarle and into Nelson Counties), then east along Interstate Rt. 64 to Route 15, then south along Rt. 15 to the North Carolina line.

Resident Population (RP) Hunt Zone – The portion of the state west of the SJBP Hunt Zone.

Virginia's Canada Goose Hunt Zones



CANADA GOOSE

FEDERAL FRAMEWORKS

ATLANTIC POPULATION ZONE (AP):

Season Length: 30 hunting days

Outside Dates:

Bag Limit:

November 15 – February 5

1 bird daily (3 in possession)

SOUTHERN JAMES BAY POPULATION ZONE (SJBP)

Outside Dates and Season Length:

Regular Season: November 15 – January 14 (up to 40 hunting days)

Extended Season: January 15 – February 15

Bag Limit: 3/day (9 in possession) through January 14

5/day (15 in possession), January 15 to February 15

RESIDENT POPULATION ZONE (RP):

Outside Dates: November 15 – March 10

Season Length: 80 hunting days

Bag Limit: 5 birds daily (15 in possession)

NOTE – All seasons also include White-fronted geese along with Canada geese.

STAFF RECOMMENDATIONS

ATLANTIC POPULATION ZONE: (AP)

Season Dates: December 21 – December 29 (9 days)

January 11 – January 31 (21 days)

Bag Limit: 1 goose per day (3 in possession)

Shooting Hours: 1/2-hour before sunrise until sunset daily

SOUTHERN JAMES BAY POPULATION ZONE (SJBP)

Season Dates:

Regular Season: November 20 – December 1 3/day (12 days)

December 19 – January 14 3/day (27 days)

Extended Season: January 15 - February 15 5/day (32 days)

Shooting Hours: 1/2-hour before sunrise until sunset daily

RESIDENT POPULATION ZONE: (RP)

Season Dates: November 20 – December 1 (12 days)

December 19 - February 24 (68 days)

Bag Limit: 5 birds daily (15 in possession)

Shooting Hours: 1/2-hour before sunrise until sunset daily

NOTE – All seasons also include White-fronted geese along with Canada geese.

FACT SHEET - Status of Light Geese (Greater and Lesser Snow Geese, and Ross's Geese) - 2019

- The majority of the "Light" geese found in the Atlantic Flyway are Greater Snow Geese, while less than 5% are Lesser Snow Geese, with even smaller numbers of Ross's Geese.
- The Greater Snow Goose population is monitored on spring staging areas along the St. Lawrence Valley in Quebec. The 2018 population estimate was 877,000 geese (+/- 11%), which is 17% higher than last year but similar to the long-term average.
- The principal nesting areas for greater snow geese are on Bylot, Axel Heiberg, Ellesmere, and Baffin Islands, and on Greenland. They winter along the Atlantic Coast from New Jersey to North Carolina.
- Breeding conditions were below average on Bylot Island in 2018. Nesting phenology was delayed due to thick winter snow pack and cool weather in June, and predation levels were high during egg laying due to decreased lemming abundance. Nest initiation date (14 June) and first hatching date (11 July) were later than long-term averages (12 June and 9 July, respectively; 1998–2018).
- Over the last 30 years, snow goose populations have increased almost ten-fold. A shift from feeding almost exclusively in marshes to feeding more on agricultural grains has allowed them to expand their range and habitat use. This shift has also allowed them to return to their breeding habitats in better physical condition, which has led to increased productivity.
- This population boom has resulted in ecological degradation on their breeding, migration and wintering areas. It has also let to conflicts with agricultural interest. Snow geese can cause damage to these habitats by pulling up plant roots and denuding marshes of vegetation.
- Current hunting regulations for snow geese are as liberal as Federal Frameworks will allow and include a 107-day season that runs from October to January, and a bag limit that was increased from 15 to 25 in 2010. Liberal seasons have helped increase the harvest, however, the population is still quite large and concerns remain about detrimental impacts these birds are having on breeding and wintering habitats.
- A Conservation Order (CO) was established in 2009, and authorizes the use of alternative management strategies (unplugged shotguns, electronic calls, shooting to ½ hour after sunset, no daily bag limit) to further increase the harvest of snow geese in the Atlantic Flyway. The number of hunters participating in this season in Virginia has averaged 292 per year and the harvest has averaged 652 snow geese per year.

LIGHT GOOSE SEASONS

REGULAR LIGHT GOOSE SEASON

FEDERAL FRAMEWORK

Season Length: 107 hunting days

October 1, 2019 - March 10, 2020

Split Season Option: 3-way split season

Bag Limit: 25 birds daily (no possession limit)

STAFF RECOMMENDATIONS

Season Dates: October 17 – January 31 (107 days)

Bag Limit: 25 birds daily (no possession limit)

LIGHT GOOSE CONSERVATION ORDER

FEDERAL FRAMEWORK

Outside Dates: When no other waterfowl seasons are open

Bag Limit: No daily or possession limit

Special Hunting Methods: Electronic calls, unplugged shotguns and extended

shooting hours to one-half hour after sunset only in areas and at times when other waterfowl seasons

are closed.

Special Requirements: States participating in the Conservation

Order are required to monitor hunter participation, effort, and success.

STAFF RECOMMENDATION

<u>Conservation Order Zone:</u> The same as the AP Canada Goose Zone - The area east of the Stafford/King George County line from the Potomac River south to the Rappahannock River, then west along the Stafford County line to Interstate 95, then south along I-95 to Route 460 in Petersburg, then southeast along Route 460 to Route 32 in the City of Suffolk, then south to the North Carolina border.

Season Dates: February 1 – April 5, 2020 (65 days)

Bag Limit: No daily or possession limit

Special Hunting Methods: Electronic calls, unplugged shotguns and extended

shooting hours to one-half hour after sunset.

Special Requirements: Hunters participating in the Conservation Order

must register, keep a record of their harvest and participation, and return a harvest report form within two weeks following the close of the season.

FACT SHEET - Status of Atlantic Brant and Tundra Swan - 2019

- **BRANT.** The main breeding areas for Atlantic Brant are in the Eastern Canadian Arctic on Baffin, Southampton, and Ellesmere Islands. Most brant winter along the Atlantic Coast from MA to NC.
- The 2017-18 Mid-Winter Survey count of brant in the Atlantic Flyway (169,700) was 5% higher than the 2017 estimate and 25% higher than the past 5-year average (135,344). There were 9,330 counted in Virginia, a slight decrease from 2017 (9,805). The juvenile recruitment index in 2017 (18%) was higher than in 2016, but still 27% lower than the long-term average.
- However, breeding conditions were below average across most of the eastern Arctic in the summer of 2018, and brant production was the lowest recorded in the past 25 years.
- The brant hunting season framework for 2019-20 will be based on the 2019 mid-winter count, which is being conducted in January and February 2019 by the coastal states in the Atlantic Flyway.
- TUNDRA SWANS. The Eastern Population of tundra swans nest in arctic tundra areas from Alaska, east to Hudson Bay and Baffin Island. These birds winter in coastal areas from Maryland to North Carolina.
- There were 111,600 eastern population tundra swans counted on the 2017-18 Mid-Winter Survey, which was 6% lower than the 2016-17 count (119,300), but above the long term-average.
- Similar to other arctic nesting species (AP Canada Geese and Atlantic Brant), productivity for Tundra swans in 2018 was well below average in 2018.
- Prior to this year, eight states in the U.S. hunted tundra swans including Alaska, Utah, Montana and Nevada in the Pacific Flyway, North Dakota and South Dakota in the Central Flyway, and North Carolina and Virginia in the Atlantic Flyway.
- In 2019-20, Delaware will initiate it's first tundra swan hunting season.
- Starting in 2019-20, the allocation of hunt permits in the Atlantic Flyway will be split between the 3 states that will have tundra swan hunting seasons (DE, VA, NC), in proportion to the number of swans in each state. North Carolina will be allocated 6,115 permits, Virginia will be allocated 801 permits, and Delaware will be allocated 84 permits.
- The tundra swan hunting season in Virginia is authorized and conducted as specified in the Atlantic Flyway Tundra Swan Management Plan and Hunt Plan, with limits and guidelines as specified under an MOU with the U.S. Fish and Wildlife Service.

ATLANTIC BRANT

FEDERAL FRAMEWORK - (PRELIMINARY)*

Season Length: 60 hunting days*

Outside Dates: September 21, 2019 - January 31, 2020

Split Season Option: 2-way split season

Bag Limit: 2 bird daily (6 in possession)

STAFF RECOMMENDATIONS

Season Dates: November 20 - December 1

December 19 - January 31

(Preliminary – pending Federal Regulations)*

Bag Limit: 2 birds daily (6 in possession)

TUNDRA SWAN

FEDERAL FRAMEWORK

Season Length: 90 hunting days

October 1, 2019 - January 31, 2020

Virginia may issue up to <u>801 permits</u> and must obtain harvest and hunter participation data. Each permittee is authorized to take one (1)

tundra swan per season.

Bag Limit: One per permittee per season

STAFF RECOMMENDATIONS

Season Dates: November 20 - January 31

Bag Limit: One per permittee per season

Hunt Area: All counties and portions of counties east of U.S. Route I- 95 and south

of the Prince William/Stafford county line in Chopawamsic Creek at

Quantico Marine Corps Base.

NOTE: VDGIF will issue no more than 801 swan-hunting permits to holders of a valid Virginia hunting license. Only hunters with a valid 2019-2020 tundra swan-hunting permit issued by VDGIF shall be authorized to hunt tundra swans. Each permittee will be authorized to take one tundra swan during the season. Swan hunting permits are non-transferable and are valid for use only by the person to whom issued. Permits must be in the immediate possession of the permittee while swan hunting. Immediately at the time and place of kill, successful hunters must permanently record the month and day of kill on their permit and attach it to their swan. The VDGIF is required to obtain hunter participation and harvest information to offer this Tundra Swan hunting season. **Hunters are** required to complete the tundra swan hunt questionnaire (survey) and submit their results to the **Department by February 15, 2020.** Those who fail to submit their results are ineligible for future drawings.

FALCONRY

FEDERAL FRAMEWORK

Season Length: No more than 107 on any species (Gun and Falconry combined)

Outside Dates:September 1 - March 10Bag Limit:3 daily (9 in possession)

Hawking Hours: ½ hour before sunrise until sunset.

STAFF RECOMMENDATIONS

Dove: September 2 – October 27

November 27 – December 4 December 24 – January 31

Rail, Gallinule, Moorhen: September 7 – December 22

Woodcock: October 17 – January 31

<u>Snipe:</u> October 11 - 14

October 21 – January 31

Canada Goose: September 1 - September 25

November 20 – December 1 December 19 - February 24

September Teal: September 17 - September 30

Ducks, Mergansers, Coot: October 11- 14

November 20 – February 14

Brant and Snow Goose: October 17 – January 31

NOTE: Recommended dates based on adoption of preceding gun season proposals; if amended, staff requests permission to calculate permissible dates for each species within the allowable federal framework.